





PUNTOS DE LUZ DECORATIVOS / POINTS DE LUMIÈRE RÉSIDENTIEL / RESIDENTIAL LIGHT POINTS

COLUMN CAMPRODON / MÂT CAMPRODON / CAMPRODON POLE

ICCP



COMBÍNELA CON:
COMBINEZ-LE AVEC:
COMBINE IT WITH:



VIALIA SUSPENDIDA

ACERO GALVANIZADO:
ACIER GALVANISÉ:
STEEL GALVANIZED:



Luminaria / Luminaire / Luminaire

CAMPRODON
ILNBT91

+

Columna / Mât / Pole
CAMPRODON
ICCP50N

	A	B	C	D	Ø	G	H	Pernos / Tiges / Bolts		
CAMPRODON 50	5000	4970	645	560	60	300	200	M18X500	x	x
CAMPRODON 60	6000	5970	645	560	60	400	300	M18X500	x	x
CAMPRODON 70	7000	6970	645	560	60	400	300	M18X500	x	x

VARIANTES / VARIANTES / ALTERNATIVES



Luminaria / Luminaire / Luminaire

CAMPRODON
ILNBT91

+

Columna / Mât / Pole
CAMPRODON
ICCP70N

CARACTERÍSTICAS / CARACTERISTIQUES / CHARACTERISTICS

Descripción: Columna troncocónica con un brazo en forma de arco. La luminaria queda suspendida mediante un sistema de fijación de 3 tornillos M10 laterales a 120°. Este sistema de fijación permite orientar el reflector de la luminaria en el sentido correcto.

Material: Columna fabricada en acero S-235-JR galvanizado con imprimación antioxidante y acabado en color negro microtexturado.

Description: Mât cylindro-conique avec un console en forme d'arc. Le luminaire est suspendu au moyen d'un système de fixation composé de 3 vis M10 latérales situées à 120°. Ce système de fixation permet d'orienter le réflecteur du luminaire dans le bon sens.

Matériau: Mât en acier S-235-JR galvanisé avec couche primaire antioxydation et revêtement en polyuréthane texturé forge.

Description: Troncoconica pole with and arch shaped. The luminaire hangs using a system of fitting with three M10 side screws at 120°. This system of fitting allows the reflector in the luminaire to face in the right direction.

Material: Pole made of steel S-235-JR galvanized with anti-rust primer and cast iron textured polyurethane coated.

